NH Public Utilities Commission

REC Aggregator Portal

NHPLIC 2MAY 16PH 12:06

New Users CLICK HERE to setup your account for this form. Creating an account enables you to partially complete the form and return later to finish it or to make changes after the form is submitted. Be sure to create your account BEFORE entering information into the form, or the information will be lost.

tisting Users CLICK HERE	
asic Information	
ho is submitting this request?	
ggregator	
ggregator Batch Number	
E042716	
e you registered in NH	
Yes No	
ggregator name	
nollwood Energy - 14625	
H Reg#	
ggregator Email	
arenton@knollwoodenergy.com	
ther Aggregator name	
ther aggregator email address	
acility Name	
acility Owner Name	
ed Blachly	

Facility Owner email
tedblachly@gmail.com
Owner Phone
603-620-0241
Facility Address
29 Harwood Dr.
Facility Town/City
Sutton
Facility State
NH
Facility Zip
03260
Yes No No Mailing Address
Mailing Town/City
Mailing State
Mailing Zip
Primary Contact
Karen Tenneson
Primary Contact
Facility Primary Contact
karenton@knollwoodenergy.com

Other Email Address
Facility Information
Class
Utility
PSNH
Other Utility Name
To obtain a GIS ID contact:
James Webb
408 517 2174
jwebb@apx.com
GIS ID (include "NON")
NON74887
Date of Initial Operation
05/04/2015
Facility Operator Name, if applicable
Panel Make #1
SunEdison
Panel Model
F270
Panel Quantity
18
Panel Rated Output 270
210

More Panel types?

No O Yes
Panel Make #2
Panel Model
Panel Quantity
Panel Rated Output
More Panel types?
NoYes
Panel Make #3
Danal Madel
Panel Model
Panel Quantity
Panel Rated Output
System capacity based on panels
4860
Inverter Quantity
18
Inverter Make
Enphase Energy
Add'l Inverter Quantity
NA
Additional Inverter Make
None

Rated Output - Primary Inverter
215
Rated Output - Additional Inverter
System capacity based on single inverter make
3870
System capacity based on two inverter types
System capacity in kW as stated on the interconnection agreement
4.86
Revenue Grade Meter Make
AEE Solar
Was this facility installed directly by the customer (no electrician involved)?
O Yes No
Electrician Name & Number
Brian Pare12245M
Other Electrician Name & Number
Installation Company
SunRay Solar
Other Installation Company Name
Cuter installation company Name
Other Inst. Company Address
Other Inst. Company City
Other Inst. Company State

Other Inst. Company Zip
Independent Monitor Name & Company
Paul Button - Energy Audits Unlimited
Other Monitor Name and Company
Carlot Memor Hame and Company
Is the installer also the equipment supplier?
YesNo
Equipment Vendor
Please attach your completed interconnection agreement including Exhibit B.
https://fs30.formsite.com/jan1947/files/f-5-99-6651637_7uCS1AUD_Blachly_Exhibit_B_Approved.pdf
mtps://issociomisite.com/jan1947/mes/1-3-99-0031037_70031A0D_blaciny_Exhibit_b_Approved.pdf
The project described in this application will meet the metering requirements of PUC 2506 including:
Electricity generation in megawatt hours shall be reported to the GIS quarterly with a statement that the submission is accurate by the owner of the source, the independent monitor or a designated representative.
A revenue quality meter is used to measure the electricity generated.
The facility owner has certified to the independent monitor that the meter operates according to manufacturing standards.
The meter shall be maintained according to the manufacturer's recommendations.
The project is installed and operating in conformance with applicable building codes.
A copy of the facility's interconnection agreement is attached.
Please attach additional document here

https://fs30.formsite.com/jan1947/files/f-5-168-6651637_L6YIm2Gg_Blachly_Agreements_part_3_-_signature.com/jan1947/files/f-5-168-6651637_L6YIm2Gg_Blachly_Agreements_part_3_-_signature.com/jan1947/files/f-5-168-6651637_L6YIm2Gg_Blachly_Agreements_part_3_-_signature.com/jan1947/files/f-5-168-6651637_L6YIm2Gg_Blachly_Agreements_part_3_-_signature.com/jan1947/files/f-5-168-6651637_L6YIm2Gg_Blachly_Agreements_part_3_-_signature.com/jan1947/files/f-5-168-6651637_L6YIm2Gg_Blachly_Agreements_part_3_-_signature.com/jan1947/files/f-5-168-6651637_L6YIm2Gg_Blachly_Agreements_part_3_-_signature.com/jan1947/files/f-5-168-6651637_L6YIm2Gg_Blachly_Agreements_part_3_-_signature.com/jan1947/files/f-5-168-6651637_L6YIm2Gg_Blachly_Agreements_part_3_-_signature.com/jan1947/files/f-5-168-6651637_L6YIm2Gg_Blachly_Agreements_part_3_-_signature.com/jan1947/files/f-5-168-6651637_L6YIm2Gg_Blachly_Agreements_part_3_-_signature.com/jan1947/files/f-5-168-6651637_L6YIm2Gg_Blachly_Agreements_part_3_-_signature.com/jan1947/files/f-5-168-6651637_L6YIm2Gg_Blachly_Agreements_part_3_-_signature.com/jan1947/files/f-5-168-6651637_L6YIm2Gg_Blachly_Agreements_part_3_-_signature.com/jan1947/files/f-5-168-6651637_L6YIm2Gg_Blachly_Agreements_part_3_-_signature.com/jan1947/files/f-5-168-6651637_L6YIm2Gg_Blachly_Agreements_part_3_-_signature.com/jan1947/files/f-5-168-6651637_L6YIm2Gg_Blachly_Agreements_part_3_-_signature.com/jan1947/files/f-5-168-6651637_L6YIm2Gg_Blachly_Agreements_part_3_-_signature.com/jan1947/files/f-5-168-6651637_L6YIm2Gg_Blachly_Agreements_part_3_-_signature.com/jan1947/files/f-5-168-6651637_L6YIm2Gg_Blachly_Agreements_part_3_-_signature.com/jan1947/files/f-5-168-6651637_L6YIm2Gg_Blachly_Agreements_part_3_-_signature.com/jan1947/files/f-5-168-6651637_L6YIm2Gg_Blachly_Agreements_part_3_-_signature.com/jan1947/files/f-5-168-6651637_L6YIm2Gg_Blachly_Agreements_part_3_-_signature.com/jan1947/files/f-5-168-6651637_Agreements_part_3_-_signature.com/jan1947/files/f-5-168-6651637_Agreements_part_3_-_signature.com/jan1947/files/f-5-168-6651637

Please attach additional document here

https://fs30.formsite.com/jan1947/files/f-5-173-6651637_iniDLuEw_Blachly_SPIA.pdf

Aggregator statement of accuracy

Kan Ja

Sign your name using a mouse or, if you are using a touch-screen device, a stylus or other pointer.

Print Name

Karen Tonnesen

Date Signed

04/27/2016

Public Service Company Of New Hampshire Interconnection Standards For Inverters Sized Up To 100 kVA Exhibit B - Certificate of Completion for Simplified Process Interconnections

SESD

Installation Information: Check if owner	r-installed	
Customer or Company Name (print): Ted Blachly		
Contact Person, if Company:		
Mailing Address: PO BOX 216		
City: Warner	State: NH	Zip Code: 03278
Telephone (Daytime): 603-456-2385	(Evening): 603-620-0241	100
Facsimile Number:	E-Mail Address: tedblachly@gr	mail.com
Facility Information:		
Address of Facility (if different from above):29 Har	woodDrive	
City: Sutton		Zip Code: 03260
Electrical Contractor Contact Information:		
Electrical Contractor's Name (if appropriate): SunRe	ay Solar, LLC	
Mailing Address: 124A Hall Street		
	State: NH	Zip Code: 03301
Telephone (Daytime): 603-225-6001	(Byening):	
Facsimile Number:	E-Mail Address: Brian@Spre	adTheSunshine.com
License number: 12245M		
Date of approval to install Facility granted by the Comp	pany:	
PSNH Application ID number: #N 3383		
Inspection:		
The system has been installed and inspected in complia	nce with the local Building/Electri	cal Code of:
City: Suttono	County: Werst Wice	3
Signed (Local Electrical Wiring Inspector, or attach sig	ned electrical inspection):	
Signature: Months Common Signature: Months Com	ph	
Name (printed): MH HOW C. C.	intes	Date: 43015
Customer Certification:		
I hereby certify that, to the best of my knowledge, all in Completion is true and correct. This system has been in standards. Also, the initial start-up test required by Puc	nstalled and shall be operated in co	ompliance with applicable
Customer Signature:		
As a condition of interconnection you are required to se	end/tax a conv of this form to:	

Public Service Company of New Hampshire Supplemental Energy Sources Department 780 North Commercial Street P. O. Box 330, Manchester, NH 03105-0330 Fax No.: (603) 634-2924

APR 0 8 2015

PUBLIC SERVICE COMPANY OF NEW HAMPSHIRE INTERCONNECTION STANDARDS FOR INVERTERS SIZED UP TO 100 KVA

SESD

Simplified Process Interconnection Application and Service Agreement

		PSNH Application	Project ID#:	N3383
Contact Information:				
Legal Name and Address of Interconnecting	ng Custom	er (or. Company name, if an	omnriste)	
Customer or Company Name (print): Ted				
Contact Person, if Company:		manager to the training of the contract of the	The second secon	terminal and the second
Mailing Address: PO BOX 216	**************************************		The state of the s	The second secon
. 7	States	NH	Zip Code:	03278
Telephone (Daytime); 603-456-2985			-x 603-620-0241	
Facsimile Number:				1
		Dividii Addiess.		
Alternative Contact Information (e.g., S. Name, SunRay Solar, LLC	ystem insta	allation contractor or coordin	nating company, if a	ppropriate):
Mailing Address: 124A Hall Street			o Handa 1931 Calledon and an anti-transfer of the second	Strength (milled of 1)
A Company of the Comp	State:	New Hampshire	Zip Code:	03301
Telephone (Daytime): 603-225-6001		(Evening		
Facsimile Number:		(Evening	rami@enraadthaeune	blee com
	***************************************	D-Wall Faddross.		
Mailing Address: 124A Hall Street City: Concord	State:	New Hampshire	Zip Code:	03301
Telephone (Daytime): 603-225-6001		(Evening		
Facsimile Number:				readthe sunghine.co
Facility Site Information:			•	
Facility (Site) Address: 29 Harwood Drive	V	e processor, and a consequence compact to the force party		
City: Sutton	State:	NH	Zip Code:	03260
Electric			/	# 682158188
Service Company: PSNH	Accoun	t Number: 56636980021	Meter Nun	
Account and Meter Number: Please consult on this application. If the facility is to be in:	t an actual	PSNH electric bill and enter	the correct Account	Number and Meter Number
PSNH Work Request #				
Non-Default' Service Customers Only;				
Competitive Electric				
Energy Supply Company:	M. M	A	ccount Number:	Stationary is a second of the second
(Customer's with a Competitive Energy Sup Supply Company.)				

PUBLIC SERVICE CUMPAINT OF NEW HAMPSHIKE INTERCONNECTION STANDARDS FOR INVERTERS SIZED UP TO 100 KVA

Simplified Process Interconnection Application and Service Agreement

	Facility Machine Information:
	Generator/ Model Name &
	Inverter Manufacturer: Enphase Number: M215 Quantity: 18
	Nameplate Rating: .215 (kW) (kVA)240 (AC Volts) Phase: Single Three
244	Nameplate Rating: The AC Nameplate rating of the individual inverter.
3.01. 1	System Design Capacity: (kW) (kVA) Battery Backup: Yes No
MAT A	System Design Capacity: The system total of the inverter AC ratings. If there are multiple inverters installed in the system, this is the
IV.	sum of the AC nameplate ratings of all inverters.
	Net Metering: If Renewably Fueled, will the account be Net Metered? Yes V No
	Prime Mover: Photovoltaic Reciprocating Engine Fuel Cell Turbine Other
	Energy Source: Solar Wind Hydro Diesel Natural Gas Fuel Oil Other
	Inverter-based Generating Facilities:
	UL 1741 / IEEE 1547.1 Compliant (Refer To Part Puc 906 Compliance Path For Inverter Units, Part Puc 906.01 Inverter Requirements) Yes No
	The standard UL 1741.1 dated May, 2007 or later, "Inverters, Converters, and Controllers for Use With Independent Power
	Systems," addresses the electrical interconnection design of various forms of generating equipment. Many manufacturers choose to
	submit their equipment to a Nationally Recognized Testing Laboratory (NRTL) that verifies compliance with UL 1741.1. This term "Listed" is then marked on the equipment and supporting documentation. Please include, any documentation
	provided by the inverter manufacturer describing the inverter's UL 1741/IEEE 1547.1 listing.
	External Manual Disconnect Switch:
	An External Manual Disconnect Switch shall be installed in accordance with 'Part Puc 905 Technical Requirements For
	Interconnections For Facilities, Puc 985.01 Requirements For Disconnect Switches and 905.02 Disconnect Switch."
	Yes No No
	Location of External Manual Disconnect Switch:
	Project Estimated Install Date: Project Estimated In-Service Date:
	Interconnecting Customer Signature;
	I hereby certify that, to the best of my knowledge, all of the information provided in this application is true and I agree to the Terms
	and Conditions for Simplified Process Interconnections attached hereto:
и	TRI NO
	Customer Signature: Date: 3 3 2915
	Please include a one-line and/or three-line diagram of proposed installation. Diagram must indicate the generator connection
	point in relation to the customer service panel and the PSNH meter socket. Applications without such a diagram may be
	returned.
	For PSNH Use Only
	Approval to Install Facility:
	Installation of the Facility is approved contingent upon the Terms and Conditions For Simplified Process Interconnections of this
	Agreement, and agreement to any system modifications, if required.
	Are system modifications required? Yes No Determined
	Company Signature: Muhul Motto Title: SIZ. ENGINEERDate: 4-9-15
	Title: Size Confidence Date:

EVERSOURCE INTERCONNECTION STANDARDS FOR INVERTERS SIZED UP TO 100 KVA

Terms and Conditions for Simplified Process Interconnections

EVERSOURCE waives inspection/Witness Test:	Yes X	No	Date of inspection/Witness Test:	Witness Test Waived
			•	

- 1. Construction of the Facility. The Interconnecting Customer may proceed to construct the Facility in compliance with the specifications of its Application once the Approval to Install the Facility has been signed by the Company.
- 2. Interconnection and operation. The Interconnecting Customer may operate Facility and interconnect with the Company's system once the all of the following has occurred:
 - 2.1. Municipal Inspection. Upon completing construction, the Interconnecting Customer will cause the Facility to be inspected or otherwise certified by the local electrical wiring inspector with jurisdiction.
 - 2.2. Certificate of Completion. The Interconnecting Customer returns the Certificate of Completion to the Agreement to the Company at address noted.
 - 2.3. Company has completed or waived the right to inspection.
- 3. Company Right of Inspection. The Company will make every attempt within ten (10) business days after receipt of the Certificate of Completion, and upon reasonable notice and at a mutually convenient time, conduct an inspection of the Facility to ensure that all equipment has been appropriately installed and that all electrical connections have been made in accordance with the Interconnection Standard. The Company has the right to disconnect the Facility in the event of improper installation or failure to return Certificate of Completion. All projects larger than 10 kVA will be witness tested, unless waived by the Company.
- 4. Safe Operations and Maintenance. The Interconnecting Customer shall be fully responsible to operate, maintain, and repair the Facility.
- 5. Disconnection. The Company may temporarily disconnect the Facility to facilitate planned or emergency Company work.
- 6. Metering and Billing. All renewable Facilities approved under this Agreement that qualify for net metering, as approved by the Commission from time to time, and the following is necessary to implement the net metering provisions:
 - 6.1. Interconnecting Customer Provides: The Interconnecting Customer shall furnish and install, if not already in place, the necessary meter socket and wiring in accordance with accepted electrical standards. In some cases the Interconnecting Customer may be required to install a separate telephone line.
 - 6.2. Company Installs Meter. The Company will make every attempt to furnish and install a meter capable of net metering within ten (10) business days after receipt of the Certificate of Completion if inspection is waived, or within 10 business days after the inspection is completed, if such meter is not already in place.
- 7. Indemnification. Interconnecting Customer and Company shall each indemnify, defend and hold the other, its directors, officers, employees and agents (including, but not limited to, Affiliates and contractors and their employees), harmless from and against all liabilities, damages, losses, penalties, claims, demands, suits and proceedings of any nature whatsoever for personal injury (including death) or property damages to unaffiliated third parties that arise out of, or are in any manner connected with, the performance of this Agreement by that party, except to the extent that such injury or damages to unaffiliated third parties may be attributable to the negligence or willful misconduct of the party seeking indemnification.
- 8. Limitation of Liability. Each party's liability to the other party for any loss, cost, claim, injury, liability, or expense, including reasonable attorney's fees, relating to or arising from any act or omission in its performance of this Agreement, shall be limited to the amount of direct damage actually incurred. In no event shall either party be liable to the other party for any indirect, incidental, special, consequential, or punitive damages of any kind whatsoever.
- 9. Termination. This Agreement may be terminated under the following conditions:
 - 9.1. By Mutual Agreement. The Parties agree in writing to terminate the Agreement.
 - 9.2. By Interconnecting Customer. The Interconnecting Customer may terminate this Agreement by providing written notice to Company.
 - 9.3. By Company. The Company may terminate this Agreement (1) if the Facility fails to operate for any consecutive 12 month period, or (2) in the event that the Facility impairs or, in the good faith judgment of the Company, may imminently impair the operation of the electric distribution system or service to other customers or materially impairs the local circuit and the Interconnecting Customer does not cure the impairment.
- 10. Assignment/Transfer of Ownership of the Facility. This Agreement shall survive the transfer of ownership of the Facility to a new owner when the new owner agrees in writing to comply with the terms of this Agreement and so notifies the Company.
- 11. Interconnection Standard. These Terms and Conditions are pursuant to the Company's "Interconnection Standards for Inverters Sized Up to 100 kVA" for the Interconnection of Customer-Owned Generating Facilities, as approved by the Commission and as the same may be amended from time to time ("Interconnection Standard"). All defined terms set forth in these Terms and Conditions are as defined in the Interconnection Standard (see Company's website for the complete document).

New Hampshire PUC REC Certification Application Owner Statements

The information provided on this application for New Hampshire Renewable Energy Certificate eligibility is accurate to the best of my knowledge and I authorize Knollwood Energy to act on my behalf in filing said application.

The project described in this application will meet the metering requirements of PUC 2506 including:

Electricity generation in megawatt hours shall be reported to the GIS quarterly with a statement that the submission is accurate by the owner of the source, the independent monitor, or a designated representative.

A revenue quality meter is used to measure the electricity generated.

The facility owner has certified to the independent monitor that the meter operates according to manufacturing standards.

The meter shall be maintained according to the manufacturer's recommendations.

The project is installed and operating in conformance with applicable building codes.

A copy of the facility's interconnection agreement is attached.

l ed Blachly	
Printed Name of signature owner	
Ted Blackly Ted Blackly (Apr 7, 2016)	
Ted Blachly (Apr 7, 2016)	

Signature of system owner